



Sughrue

SUGHRUE MION, PLLC

17302 U.S. PTO
10/802716



2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213

T 202.293.7060
F 202.293.7860

www.sughrue.com

March 18, 2004

MAIL STOP PATENT APPLICATION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Application of Norikazu IEDA and Yuji OI
OXYGEN CONCENTRATION DETECTION SYSTEM AND VEHICLE CONTROL
SYSTEM HAVING THE SAME
Assignee: NGK SPARK PLUG CO., LTD.
Our Ref. Q80524

Dear Sir:

Attached hereto is the application identified above comprising forty-two (42) sheets of the specification, including the claims and abstract and eight (8) sheet(s) of drawings. Copies of the executed Declaration and Power of Attorney and Assignment will be submitted at a later date.

The Government filing fee is calculated as follows:

Total claims	<u>17</u>	-	<u>20</u>	=	<u> </u>	x	\$18.00	=	<u> </u>	\$.00
Independent claims	<u>4</u>	-	<u>3</u>	=	<u>1</u>	x	\$86.00	=	<u> </u>	\$86.00
Base Fee										\$770.00

TOTAL FEE **\$856.00**

A check for the statutory filing fee of \$856.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.


Priority is claimed from:

<u>Country</u>	<u>Application No</u>	<u>Filing Date</u>
Japan	2003-74362	March 18, 2003

The priority document will be filed at a later date.

Respectfully submitted,
SUGHRUE MION, PLLC

Attorneys for Applicant

By: 
Abraham J. Rosner
Registration No. 33,276

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON OFFICE
23373
CUSTOMER NUMBER